


#1



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, April 29, 2015 5:46:07 PM  
**Last Modified:** Wednesday, April 29, 2015 5:50:03 PM  
**Time Spent:** 00:03:55  
**IP Address:** 63.135.30.69

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	McFarlane
--	-----------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#2



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, April 29, 2015 8:00:22 PM  
**Last Modified:** Wednesday, April 29, 2015 8:04:56 PM  
**Time Spent:** 00:04:34  
**IP Address:** 67.204.208.249

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Sandra Willock (tank only 4 yrs old)  
4204 Long Lake Rd.  
Sudbury ON P3G 1K2

#3



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, April 29, 2015 7:50:10 PM  
**Last Modified:** Wednesday, April 29, 2015 8:07:33 PM  
**Time Spent:** 00:17:22  
**IP Address:** 184.151.36.196

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Not applicable

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	Possibly, if the system wants to hand out taxpayers money willy nilly, who wouldn't cash in.

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
---	----



**Q13: If not, why?**


At one time in the real world it was the responsibility of the property owner to maintain his property as required. Now we have bureaucrats who seem to have more money than brains. Let's give everything to everybody whether we can afford it or not. You people amaze Me!

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#4



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, April 29, 2015 8:41:50 PM  
**Last Modified:** Wednesday, April 29, 2015 8:45:14 PM  
**Time Spent:** 00:03:23  
**IP Address:** 24.139.5.226

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
LONG LAKE

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>THE GRANT IS NOT ENOUGH...SHOULD BE AT LEAST 7500 city pays for in-the-city residents to deal with sewage, so we should have that perk as well with a once in a lifetime grant.</p>

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

mary Henderson  
edmar@bell.net

#5



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, April 29, 2015 9:30:51 PM  
**Last Modified:** Wednesday, April 29, 2015 9:34:23 PM  
**Time Spent:** 00:03:32  
**IP Address:** 67.70.196.226

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Long Lake
--	-----------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	6-9 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	I monitor it closely so why pump more than I need to.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

63 Westend Road  
Lively, Ontario

#6



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 5:22:05 AM  
**Last Modified:** Thursday, April 30, 2015 5:28:14 AM  
**Time Spent:** 00:06:09  
**IP Address:** 199.19.162.113

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>We look after our septic system, which was new in 2011. We would have no problem with an inspection on a 5 year basis, pumping subject to that. Cost is not a problem.</p>


PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

William Dopson  
w.dopson@netspectrum.ca

#7



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 10:47:11 AM  
**Last Modified:** Thursday, April 30, 2015 10:48:40 AM  
**Time Spent:** 00:01:29  
**IP Address:** 142.51.18.2

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Long Lake
--	-----------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	6-9 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#8



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 11:32:36 AM  
**Last Modified:** Thursday, April 30, 2015 11:35:41 AM  
**Time Spent:** 00:03:04  
**IP Address:** 70.28.82.199

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 RAMSEY LAKE

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>6-9 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>HOPING TO CONNECT TO CITY S WATER SYSTEM</p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

NORM EADY melnorm@on.aibn.com



#9



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 1:02:10 PM  
**Last Modified:** Thursday, April 30, 2015 1:08:20 PM  
**Time Spent:** 00:06:09  
**IP Address:** 198.254.193.60

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Lake wanapitei

Lake Wanapitei

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

**Q7: How many people normally live at this residence?** 1-2

PAGE 9

**Q8: What is the source of your drinking water for this residence?** Lake or River

PAGE 10

**Q9: When was the last time you had a septic tank pump out?** 1-2 years ago

PAGE 11

**Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?** No

---

**Q11: If not, why?** We pump every 2-3 years already!

PAGE 12

**Q12: If you were offered a \$5,000 grant towards the \*cost of a septic system replacement that has been certified by Sudbury & District Health Unit to be ineffective, would you participate? \*SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.** Yes

---


**Q13: If not, why?** *Respondent skipped this question*

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Ron Tessier  
ron.irenetessier@gmail.com

#10



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 2:12:05 PM  
**Last Modified:** Thursday, April 30, 2015 2:13:19 PM  
**Time Spent:** 00:01:14  
**IP Address:** 184.151.63.222

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#11



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 5:26:32 PM  
**Last Modified:** Thursday, April 30, 2015 5:26:59 PM  
**Time Spent:** 00:00:27  
**IP Address:** 208.96.112.208

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Respondent skipped this question

PAGE 5

**Q4: How close is your septic system to a water body?** Respondent skipped this question

PAGE 6

**Q5: What is the name of the water body?** Respondent skipped this question

PAGE 7

**Q6: What type of residence is this?** Respondent skipped this question

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#12



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 5:44:29 PM  
**Last Modified:** Thursday, April 30, 2015 5:47:00 PM  
**Time Spent:** 00:02:31  
**IP Address:** 67.204.211.240

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Richard Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

cjhmuskoka@Hotmail.com

#13



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 9:26:25 PM  
**Last Modified:** Thursday, April 30, 2015 9:34:01 PM  
**Time Spent:** 00:07:36  
**IP Address:** 104.129.117.102

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Lake Wanapitei

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#14



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 1:02:45 AM  
**Last Modified:** Friday, May 01, 2015 1:07:59 AM  
**Time Spent:** 00:05:14  
**IP Address:** 198.254.213.112

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Ella Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Lesley valcaroncurves@gmail.com

#15



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 7:09:25 AM  
**Last Modified:** Friday, May 01, 2015 7:09:54 AM  
**Time Spent:** 00:00:28  
**IP Address:** 47.54.59.119

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#16



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 7:34:42 AM  
**Last Modified:** Friday, May 01, 2015 7:35:51 AM  
**Time Spent:** 00:01:08  
**IP Address:** 24.139.30.241

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Respondent skipped this question

PAGE 5

**Q4: How close is your septic system to a water body?** Respondent skipped this question

PAGE 6

**Q5: What is the name of the water body?** Respondent skipped this question

PAGE 7

**Q6: What type of residence is this?** Respondent skipped this question

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#17



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 9:43:38 AM  
**Last Modified:** Friday, May 01, 2015 9:44:48 AM  
**Time Spent:** 00:01:09  
**IP Address:** 24.215.73.149

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#18



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 10:01:16 AM  
**Last Modified:** Friday, May 01, 2015 10:04:39 AM  
**Time Spent:** 00:03:22  
**IP Address:** 67.204.255.57

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	creek, unknown
--	----------------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#19



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 10:07:04 AM  
**Last Modified:** Friday, May 01, 2015 10:11:00 AM  
**Time Spent:** 00:03:55  
**IP Address:** 70.49.199.162

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Lohi Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	5-6
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#20



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 10:13:26 AM  
**Last Modified:** Friday, May 01, 2015 10:15:21 AM  
**Time Spent:** 00:01:55  
**IP Address:** 216.104.97.114

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

rob dyer  
dyerrob10@hotmail.com

#21



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 11:16:15 AM  
**Last Modified:** Friday, May 01, 2015 11:21:29 AM  
**Time Spent:** 00:05:14  
**IP Address:** 104.249.246.191

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Ella lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	We pump every 3 or 4 years but a grant would be nice.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Our septic system work well

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#22



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 11:31:04 AM  
**Last Modified:** Friday, May 01, 2015 11:34:04 AM  
**Time Spent:** 00:02:59  
**IP Address:** 24.139.5.226

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Long Lake
--	-----------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

John Whitteker johnhenry338@gmail.com

#23



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 1:06:22 PM  
**Last Modified:** Friday, May 01, 2015 1:08:36 PM  
**Time Spent:** 00:02:13  
**IP Address:** 216.223.90.33

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
no lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#24



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 2:12:55 PM  
**Last Modified:** Friday, May 01, 2015 2:20:05 PM  
**Time Spent:** 00:07:10  
**IP Address:** 216.223.90.33

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Romford Creek

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

JL Armstrong  
jlhummingbyrd@gmail.com



#25



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 3:20:05 PM  
**Last Modified:** Friday, May 01, 2015 3:25:27 PM  
**Time Spent:** 00:05:22  
**IP Address:** 174.89.112.135

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Lake Wahnapiatae

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

chuckbe@sympatico.ca  
Chuck Beaudry

#26



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 4:58:49 PM  
**Last Modified:** Friday, May 01, 2015 5:01:25 PM  
**Time Spent:** 00:02:36  
**IP Address:** 132.156.198.29

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**

Dill Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Daniel Fynn  
dfynn@nrcan.gc.ca

#27



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 6:32:05 PM  
**Last Modified:** Friday, May 01, 2015 6:34:15 PM  
**Time Spent:** 00:02:10  
**IP Address:** 173.34.1.51

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	McFarlane Lake
--	----------------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

gallagj@gmail.com

#28



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 01, 2015 7:25:33 PM  
**Last Modified:** Friday, May 01, 2015 7:28:45 PM  
**Time Spent:** 00:03:12  
**IP Address:** 24.114.52.44

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Whitson
--	---------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#29



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 02, 2015 11:31:35 AM  
**Last Modified:** Saturday, May 02, 2015 12:13:53 PM  
**Time Spent:** 00:42:17  
**IP Address:** 69.159.4.160

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

McCharles Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#30



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 04, 2015 7:07:26 AM  
**Last Modified:** Monday, May 04, 2015 7:08:01 AM  
**Time Spent:** 00:00:34  
**IP Address:** 67.204.215.76

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#31



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 04, 2015 10:02:18 AM  
**Last Modified:** Monday, May 04, 2015 10:04:11 AM  
**Time Spent:** 00:01:53  
**IP Address:** 208.96.114.204

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#32



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 04, 2015 11:36:22 AM  
**Last Modified:** Monday, May 04, 2015 11:43:09 AM  
**Time Spent:** 00:06:47  
**IP Address:** 198.254.202.213

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Fairbank Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	Do not agree with GSWA pump out frequency- Unsupported scientifically!

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Already have recently inspected system in place


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Marcel Gravel - mgravel866@hotmail.ca



#33



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 3:36:22 PM  
**Last Modified:** Tuesday, May 05, 2015 3:37:49 PM  
**Time Spent:** 00:01:26  
**IP Address:** 209.91.177.50

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

dan boyd , dboyd@sbminc.ca

#34



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 3:43:54 PM  
**Last Modified:** Tuesday, May 05, 2015 3:45:56 PM  
**Time Spent:** 00:02:01  
**IP Address:** 66.206.241.194

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
creek

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>more than 6</p>
--	--------------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#35



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Tuesday, May 05, 2015 3:48:53 PM

**Last Modified:** Tuesday, May 05, 2015 3:49:18 PM

**Time Spent:** 00:00:25

**IP Address:** 209.91.185.248

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#36



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 3:45:59 PM  
**Last Modified:** Tuesday, May 05, 2015 3:49:42 PM  
**Time Spent:** 00:03:43  
**IP Address:** 206.177.43.75

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	I use water wisely and don't waste.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Rebuilt our system 15 years and it is efficient.

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#37



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 3:43:03 PM  
**Last Modified:** Tuesday, May 05, 2015 3:53:45 PM  
**Time Spent:** 00:10:42  
**IP Address:** 142.40.135.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>5-6</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Mikael Maki  
mikael.maki@vale.com

#38



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 3:48:59 PM  
**Last Modified:** Tuesday, May 05, 2015 3:53:59 PM  
**Time Spent:** 00:05:00  
**IP Address:** 208.96.83.86

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Pat Beatty  
pbeatty48@gmail.com

#39



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:02:37 PM  
**Last Modified:** Tuesday, May 05, 2015 4:04:12 PM  
**Time Spent:** 00:01:35  
**IP Address:** 216.223.64.50

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#40



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:09:37 PM  
**Last Modified:** Tuesday, May 05, 2015 4:13:53 PM  
**Time Spent:** 00:04:16  
**IP Address:** 67.70.201.20

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Chris Dinnes  
cldinnes@gmail.com



#41



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:10:42 PM  
**Last Modified:** Tuesday, May 05, 2015 4:16:07 PM  
**Time Spent:** 00:05:24  
**IP Address:** 209.91.185.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#42



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:19:01 PM  
**Last Modified:** Tuesday, May 05, 2015 4:19:58 PM  
**Time Spent:** 00:00:57  
**IP Address:** 70.49.207.76

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#43



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:22:34 PM  
**Last Modified:** Tuesday, May 05, 2015 4:25:20 PM  
**Time Spent:** 00:02:46  
**IP Address:** 208.96.116.23

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#44



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:24:31 PM  
**Last Modified:** Tuesday, May 05, 2015 4:26:03 PM  
**Time Spent:** 00:01:31  
**IP Address:** 24.139.24.215

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#45



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:26:49 PM  
**Last Modified:** Tuesday, May 05, 2015 4:31:00 PM  
**Time Spent:** 00:04:11  
**IP Address:** 66.206.238.47

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Holding tank

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>5-6</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Kevincrittenden@eastlink.ca

#46



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:30:54 PM  
**Last Modified:** Tuesday, May 05, 2015 4:35:39 PM  
**Time Spent:** 00:04:44  
**IP Address:** 184.151.37.220

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Dan Laing  
Jdaniellaing@aol.com

#47



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 4:39:39 PM  
**Last Modified:** Tuesday, May 05, 2015 4:42:00 PM  
**Time Spent:** 00:02:20  
**IP Address:** 69.60.241.174

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	5-6
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	we have a new certified septic system

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#48



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 5:12:46 PM  
**Last Modified:** Tuesday, May 05, 2015 5:14:51 PM  
**Time Spent:** 00:02:05  
**IP Address:** 70.49.137.104

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
maki creek

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#49



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 6:40:45 PM  
**Last Modified:** Tuesday, May 05, 2015 6:45:38 PM  
**Time Spent:** 00:04:52  
**IP Address:** 24.141.185.160

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>New 10 year old system fully inspected</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#50



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 7:26:48 PM  
**Last Modified:** Tuesday, May 05, 2015 7:32:43 PM  
**Time Spent:** 00:05:54  
**IP Address:** 67.70.201.225

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Only 10 years old working ok</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

John Cecchetto  
Cecchettojohn@hotmail.com

#51



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 8:12:17 PM  
**Last Modified:** Tuesday, May 05, 2015 8:19:27 PM  
**Time Spent:** 00:07:09  
**IP Address:** 208.96.115.124

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Already have a very good one. Waterloo Biofilter</p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#52



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 8:23:50 PM  
**Last Modified:** Tuesday, May 05, 2015 8:40:22 PM  
**Time Spent:** 00:16:31  
**IP Address:** 174.92.68.232

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Cottage only, outhouse still used: limited washing

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#53



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 8:57:57 PM  
**Last Modified:** Tuesday, May 05, 2015 8:59:57 PM  
**Time Spent:** 00:01:59  
**IP Address:** 208.96.127.196

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

lauren Wisniewski  
Lauren.wiz@gmail.com

#54



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 9:16:15 PM  
**Last Modified:** Tuesday, May 05, 2015 9:16:54 PM  
**Time Spent:** 00:00:39  
**IP Address:** 63.135.13.39

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#55



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 9:33:49 PM  
**Last Modified:** Tuesday, May 05, 2015 9:35:44 PM  
**Time Spent:** 00:01:55  
**IP Address:** 65.95.123.36

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#56



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 9:43:08 PM  
**Last Modified:** Tuesday, May 05, 2015 9:49:16 PM  
**Time Spent:** 00:06:08  
**IP Address:** 67.204.200.18

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>I have a new tank</p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#57



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 9:58:27 PM  
**Last Modified:** Tuesday, May 05, 2015 10:11:03 PM  
**Time Spent:** 00:12:36  
**IP Address:** 63.135.0.46

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

. Creek

? Creek and Long Lake

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
---	-----

**Q13: If not, why?**


*Respondent skipped this question*

**PAGE 13**

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#58



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 10:53:59 PM  
**Last Modified:** Tuesday, May 05, 2015 10:58:08 PM  
**Time Spent:** 00:04:08  
**IP Address:** 174.113.243.85

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	I have it pumped out every 1-2 years.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#59



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 05, 2015 11:20:42 PM  
**Last Modified:** Tuesday, May 05, 2015 11:22:28 PM  
**Time Spent:** 00:01:46  
**IP Address:** 70.49.41.85

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	5-6
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#60



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 06, 2015 12:07:15 AM  
**Last Modified:** Wednesday, May 06, 2015 12:10:22 AM  
**Time Spent:** 00:03:07  
**IP Address:** 24.138.135.84

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Holding tank
---	--------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Long lake
--	-----------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#61



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 06, 2015 7:05:20 AM  
**Last Modified:** Wednesday, May 06, 2015 7:07:52 AM  
**Time Spent:** 00:02:32  
**IP Address:** 162.252.113.225

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>I pump out every 2 years regardless</p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#62



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 06, 2015 9:39:06 AM  
**Last Modified:** Wednesday, May 06, 2015 9:45:19 AM  
**Time Spent:** 00:06:13  
**IP Address:** 209.91.157.138

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	Not required to pump more often

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	tank and field be has been replaced with a new system 3 years ago

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#63



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, May 06, 2015 10:51:51 AM

**Last Modified:** Wednesday, May 06, 2015 10:57:19 AM

**Time Spent:** 00:05:28

**IP Address:** 70.49.199.153

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Marilyn young cmyoung2488@sympatico.ca

#64



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, May 06, 2015 12:11:38 PM

**Last Modified:** Wednesday, May 06, 2015 12:15:31 PM

**Time Spent:** 00:03:53

**IP Address:** 24.138.138.110

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Margaret Mulloy  
mmulloy6@hotmail.com



#65



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 06, 2015 3:04:12 PM  
**Last Modified:** Wednesday, May 06, 2015 3:06:00 PM  
**Time Spent:** 00:01:47  
**IP Address:** 76.65.205.26

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Mcfarlane

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#66



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 06, 2015 7:32:41 PM  
**Last Modified:** Wednesday, May 06, 2015 7:33:16 PM  
**Time Spent:** 00:00:34  
**IP Address:** 66.186.77.24

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#67



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, May 07, 2015 2:00:56 AM  
**Last Modified:** Thursday, May 07, 2015 2:03:24 AM  
**Time Spent:** 00:02:27  
**IP Address:** 24.138.138.220

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#68



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, May 07, 2015 1:06:24 PM  
**Last Modified:** Thursday, May 07, 2015 1:10:04 PM  
**Time Spent:** 00:03:40  
**IP Address:** 65.95.122.59

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 forest lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Roy Borley  
roy1bor2ley3@ysmpatico.ca

#69



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, May 07, 2015 8:53:56 PM  
**Last Modified:** Thursday, May 07, 2015 8:54:36 PM  
**Time Spent:** 00:00:40  
**IP Address:** 63.135.9.83

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Respondent skipped this question

PAGE 5

**Q4: How close is your septic system to a water body?** Respondent skipped this question

PAGE 6

**Q5: What is the name of the water body?** Respondent skipped this question

PAGE 7

**Q6: What type of residence is this?** Respondent skipped this question

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#70



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, May 07, 2015 10:47:13 PM  
**Last Modified:** Thursday, May 07, 2015 10:51:04 PM  
**Time Spent:** 00:03:51  
**IP Address:** 162.255.178.89

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b> what difference does it make?	
---	--

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#71



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, May 07, 2015 11:52:12 PM  
**Last Modified:** Thursday, May 07, 2015 11:56:19 PM  
**Time Spent:** 00:04:07  
**IP Address:** 216.223.90.44

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Fairbank lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	3 year old system

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#72



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 6:59:01 AM  
**Last Modified:** Friday, May 08, 2015 7:02:56 AM  
**Time Spent:** 00:03:55  
**IP Address:** 76.67.20.215

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Fairbank Lake
--	---------------

PAGE 7

<b>Q6: What type of residence is this?</b>	Seasonal - Cottage or Camp
--	----------------------------

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>System is only 5 years old</p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Dan White  
dan.white@sympatico.ca



#73



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 7:13:13 AM  
**Last Modified:** Friday, May 08, 2015 7:13:59 AM  
**Time Spent:** 00:00:45  
**IP Address:** 47.54.59.119

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#74



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 7:18:51 AM  
**Last Modified:** Friday, May 08, 2015 7:29:53 AM  
**Time Spent:** 00:11:01  
**IP Address:** 184.151.37.111

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Fairbanks

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	A proper working septic tank should never need pumping

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Properly installed and maintained

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Walter vale. Wb.vale@gmail.com

#75



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 8:59:40 AM  
**Last Modified:** Friday, May 08, 2015 9:02:04 AM  
**Time Spent:** 00:02:23  
**IP Address:** 50.101.201.228

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Fairband

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Is working well, replacement cost would be too expensive


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#76



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 12:20:34 PM  
**Last Modified:** Friday, May 08, 2015 12:56:30 PM  
**Time Spent:** 00:35:56  
**IP Address:** 162.53.2.115

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>septic system is in good repair</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#77



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 2:15:28 PM  
**Last Modified:** Friday, May 08, 2015 2:20:43 PM  
**Time Spent:** 00:05:14  
**IP Address:** 66.185.220.82

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Frenchman Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	System woeks well.

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Mr. John Fera  
solsonjfera@msn.com

#78



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 09, 2015 6:33:26 AM  
**Last Modified:** Saturday, May 09, 2015 6:37:19 AM  
**Time Spent:** 00:03:53  
**IP Address:** 24.114.69.81

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Fairbank Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	6-9 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#79



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 09, 2015 11:09:28 AM  
**Last Modified:** Saturday, May 09, 2015 11:11:36 AM  
**Time Spent:** 00:02:08  
**IP Address:** 24.235.57.82

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Silver Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#80



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 09, 2015 11:29:03 AM  
**Last Modified:** Saturday, May 09, 2015 11:30:17 AM  
**Time Spent:** 00:01:14  
**IP Address:** 184.148.53.218

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#81



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 09, 2015 4:46:39 PM  
**Last Modified:** Saturday, May 09, 2015 4:51:58 PM  
**Time Spent:** 00:05:18  
**IP Address:** 67.201.172.204

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Fairbank Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Louise Baker  
wezmur@xplornet.ca

#82



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 10, 2015 8:29:07 AM  
**Last Modified:** Sunday, May 10, 2015 8:32:20 AM  
**Time Spent:** 00:03:12  
**IP Address:** 24.235.57.19

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>System was redone recently</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#83



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 10, 2015 9:20:14 AM  
**Last Modified:** Sunday, May 10, 2015 9:22:54 AM  
**Time Spent:** 00:02:39  
**IP Address:** 24.114.69.111

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Fairbank Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#84



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 10, 2015 10:27:42 AM  
**Last Modified:** Sunday, May 10, 2015 10:33:17 AM  
**Time Spent:** 00:05:34  
**IP Address:** 68.144.34.198

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 fairbank lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	This is part of the maintenance of the property and the responsibility of the owner

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	responsibility of cottage owner

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

john bertens  
bertensj@shaw.ca

#85



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 10, 2015 12:27:38 PM  
**Last Modified:** Sunday, May 10, 2015 12:28:17 PM  
**Time Spent:** 00:00:38  
**IP Address:** 64.229.209.63

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#86



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 10, 2015 3:44:03 PM  
**Last Modified:** Sunday, May 10, 2015 3:48:35 PM  
**Time Spent:** 00:04:31  
**IP Address:** 162.252.113.81

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
long lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#87



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 10, 2015 9:47:18 PM  
**Last Modified:** Sunday, May 10, 2015 9:49:58 PM  
**Time Spent:** 00:02:40  
**IP Address:** 64.25.162.228

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>5-6</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>It would actually depend on the financial situation at the time. I would take advantage of it, yes, if I had the means of funding the other 10-15k.</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#88



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 11, 2015 8:19:47 AM  
**Last Modified:** Monday, May 11, 2015 8:23:04 AM  
**Time Spent:** 00:03:16  
**IP Address:** 67.204.205.141

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Fairbanks Lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Darwin Brunne  
darpat@personainternet.com



#89



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 11, 2015 10:57:32 AM  
**Last Modified:** Monday, May 11, 2015 11:07:40 AM  
**Time Spent:** 00:10:08  
**IP Address:** 198.254.215.46

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Fairbank Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	we have it pumped every three years.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Margaret Rose Harkins  
margharkins@hotmail.com

#90



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 11, 2015 3:14:47 PM  
**Last Modified:** Monday, May 11, 2015 3:17:17 PM  
**Time Spent:** 00:02:29  
**IP Address:** 216.223.72.54

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#91



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 11, 2015 10:02:01 PM  
**Last Modified:** Monday, May 11, 2015 10:06:26 PM  
**Time Spent:** 00:04:24  
**IP Address:** 24.138.134.156

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#92



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 12, 2015 1:15:47 PM  
**Last Modified:** Tuesday, May 12, 2015 1:18:53 PM  
**Time Spent:** 00:03:06  
**IP Address:** 142.40.135.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Holding tank

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
fairbank lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#93



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 12, 2015 4:37:04 PM  
**Last Modified:** Tuesday, May 12, 2015 4:54:31 PM  
**Time Spent:** 00:17:27  
**IP Address:** 66.206.226.224

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
McCharles Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Still in good working order</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Walter Byrko  
email is montecarlo.2009@yahoo.com

#94



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, May 13, 2015 10:12:15 AM

**Last Modified:** Wednesday, May 13, 2015 10:14:14 AM

**Time Spent:** 00:01:59

**IP Address:** 76.67.20.48

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**

Richard lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#95



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 08, 2015 1:38:47 PM  
**Last Modified:** Friday, May 15, 2015 9:58:55 AM  
**Time Spent:** Over a day  
**IP Address:** 99.242.112.44

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	Fairbank Lake
--	---------------

PAGE 7

<b>Q6: What type of residence is this?</b>	Seasonal - Cottage or Camp
--	----------------------------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	5-6
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	6-9 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Sheila Smale  
alansmale@rogers.com

#96



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 16, 2015 8:35:14 AM  
**Last Modified:** Saturday, May 16, 2015 8:39:04 AM  
**Time Spent:** 00:03:49  
**IP Address:** 69.159.6.63

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McCharles Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	I intend to pump at the recommended rate.p regardless of whether I am reimbursed or not.

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Tnccsauve@yahoo.com



#97



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 16, 2015 9:43:09 AM  
**Last Modified:** Saturday, May 16, 2015 9:48:38 AM  
**Time Spent:** 00:05:28  
**IP Address:** 208.114.143.240

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
Vermillion River

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#98



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 16, 2015 11:09:01 AM  
**Last Modified:** Saturday, May 16, 2015 11:09:47 AM  
**Time Spent:** 00:00:45  
**IP Address:** 69.159.1.219

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** Respondent skipped this question

PAGE 6

**Q5: What is the name of the water body?** Respondent skipped this question

PAGE 7

**Q6: What type of residence is this?** Respondent skipped this question

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#99



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, April 30, 2015 6:42:12 PM  
**Last Modified:** Saturday, May 16, 2015 11:29:51 AM  
**Time Spent:** Over a week  
**IP Address:** 24.138.143.152

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Vermilion River

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>more than 6</p>
--	--------------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>It is already been approved</p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#100



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Saturday, May 16, 2015 11:44:17 AM

**Last Modified:** Saturday, May 16, 2015 11:44:38 AM

**Time Spent:** 00:00:21

**IP Address:** 67.204.215.27

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#101



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 16, 2015 2:29:37 PM  
**Last Modified:** Saturday, May 16, 2015 2:32:54 PM  
**Time Spent:** 00:03:17  
**IP Address:** 216.223.90.33

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Vermillion R

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>adequate now</p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>existing in good condition</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#102



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 16, 2015 4:46:31 PM  
**Last Modified:** Saturday, May 16, 2015 4:50:07 PM  
**Time Spent:** 00:03:36  
**IP Address:** 184.151.36.252

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Wabagishik

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Ken Shames ken@tyenet.com

#103



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 16, 2015 6:59:06 PM  
**Last Modified:** Saturday, May 16, 2015 7:00:00 PM  
**Time Spent:** 00:00:53  
**IP Address:** 64.231.193.199

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#104



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 18, 2015 2:11:40 PM  
**Last Modified:** Monday, May 18, 2015 2:16:01 PM  
**Time Spent:** 00:04:21  
**IP Address:** 63.135.8.178

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank with no road access

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Fairbanks Lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>My tank is two years old, but can be pumped out</p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Karenblair091@gmail.com



#105



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, May 18, 2015 3:23:41 PM  
**Last Modified:** Monday, May 18, 2015 3:24:12 PM  
**Time Spent:** 00:00:30  
**IP Address:** 162.252.115.252

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#106



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 9:00:03 AM  
**Last Modified:** Tuesday, May 19, 2015 9:02:15 AM  
**Time Spent:** 00:02:11  
**IP Address:** 199.85.73.12

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Richard Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

alex.cieslewicz@ctv.ca

#107



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 10:35:23 AM  
**Last Modified:** Tuesday, May 19, 2015 10:39:36 AM  
**Time Spent:** 00:04:12  
**IP Address:** 184.151.63.217

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Vermillon River

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#108



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 12:22:25 PM  
**Last Modified:** Tuesday, May 19, 2015 12:26:54 PM  
**Time Spent:** 00:04:28  
**IP Address:** 63.135.1.109

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

linny1326@gmail.com  
Don & Lin Gibson

#109



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 12:57:10 PM  
**Last Modified:** Tuesday, May 19, 2015 12:59:41 PM  
**Time Spent:** 00:02:30  
**IP Address:** 142.161.62.203

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Holding tank

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

mcfarlane lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

margaret bertulli  
margmb@mymts.net

#110



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 1:28:06 PM  
**Last Modified:** Tuesday, May 19, 2015 1:36:52 PM  
**Time Spent:** 00:08:45  
**IP Address:** 24.139.28.246

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Our system is only four years old</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Betty Monticelli  
dbmonticelli@eastlink.ca

#111



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 2:19:52 PM  
**Last Modified:** Tuesday, May 19, 2015 2:23:18 PM  
**Time Spent:** 00:03:26  
**IP Address:** 24.139.28.224

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Wayne carr  
2076 South Lane Rd.  
wcarr@tnrdoors.com

#112



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 2:55:12 PM  
**Last Modified:** Tuesday, May 19, 2015 2:57:50 PM  
**Time Spent:** 00:02:38  
**IP Address:** 24.231.83.110

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	5-6
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	New septic system put in 5 years ago


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#113



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 3:06:04 PM  
**Last Modified:** Tuesday, May 19, 2015 3:08:49 PM  
**Time Spent:** 00:02:45  
**IP Address:** 192.197.178.2

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Vermilion River

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

dawn.mclaughlin@ic.gc.ca

#114



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 3:39:06 PM  
**Last Modified:** Tuesday, May 19, 2015 3:42:51 PM  
**Time Spent:** 00:03:44  
**IP Address:** 69.159.2.156

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>pumped out based on a 5 year cycle; scientific research indicates that 5 years is the optimal time to allow bacterial cultures to populate the tile fields</p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#115



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 3:43:13 PM  
**Last Modified:** Tuesday, May 19, 2015 3:46:51 PM  
**Time Spent:** 00:03:38  
**IP Address:** 70.30.39.34

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#116



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 3:50:48 PM  
**Last Modified:** Tuesday, May 19, 2015 3:51:17 PM  
**Time Spent:** 00:00:29  
**IP Address:** 216.223.90.33

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#117



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 4:16:51 PM  
**Last Modified:** Tuesday, May 19, 2015 4:18:54 PM  
**Time Spent:** 00:02:03  
**IP Address:** 174.89.112.236

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#118



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 5:46:11 PM  
**Last Modified:** Tuesday, May 19, 2015 5:52:12 PM  
**Time Spent:** 00:06:00  
**IP Address:** 63.135.30.69

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Rod Chambers, 1015 Leedale Ave., Sudbury, P3G1B9. rodee@live.com

#119



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 5:54:00 PM  
**Last Modified:** Tuesday, May 19, 2015 5:57:27 PM  
**Time Spent:** 00:03:27  
**IP Address:** 63.135.5.205

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Mc farlane lk

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Bmw9@personainternet.com

#120



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 6:39:15 PM  
**Last Modified:** Tuesday, May 19, 2015 6:43:55 PM  
**Time Spent:** 00:04:40  
**IP Address:** 208.96.77.38

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>I have it pumped every third year</p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Dieter Schoenefeld  
dschoene@cyberbeach.net



#121



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 9:29:21 PM  
**Last Modified:** Tuesday, May 19, 2015 9:34:42 PM  
**Time Spent:** 00:05:20  
**IP Address:** 63.135.21.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Al Geregthy  
geregthy@persona.ca

#122



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 19, 2015 9:42:13 PM  
**Last Modified:** Tuesday, May 19, 2015 9:44:53 PM  
**Time Spent:** 00:02:39  
**IP Address:** 63.135.21.213

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#123



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, May 20, 2015 10:36:17 AM

**Last Modified:** Wednesday, May 20, 2015 10:36:31 AM

**Time Spent:** 00:00:13

**IP Address:** 162.255.178.71

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?**

No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?**

*Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?**

*Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?**

*Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?**

*Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?**

*Respondent skipped this question*

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#124



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, May 20, 2015 12:42:06 PM

**Last Modified:** Wednesday, May 20, 2015 12:44:37 PM

**Time Spent:** 00:02:31

**IP Address:** 206.132.52.54

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Just updated &amp; replaced Septic system 2013 therefore not required</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

giorocca@yahoo.com  
Giovanni Rocca

#125



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 20, 2015 6:04:26 PM  
**Last Modified:** Wednesday, May 20, 2015 6:05:12 PM  
**Time Spent:** 00:00:46  
**IP Address:** 24.114.67.224

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#126



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 20, 2015 8:20:45 PM  
**Last Modified:** Wednesday, May 20, 2015 8:22:27 PM  
**Time Spent:** 00:01:42  
**IP Address:** 66.103.54.70

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#127



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, May 20, 2015 9:40:05 PM  
**Last Modified:** Wednesday, May 20, 2015 9:43:40 PM  
**Time Spent:** 00:03:34  
**IP Address:** 66.103.55.172

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
 McFarland Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Tom Truskoski  
tommyt@cyberbeach.net

#128



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 23, 2015 1:27:44 PM  
**Last Modified:** Saturday, May 23, 2015 1:30:58 PM  
**Time Spent:** 00:03:14  
**IP Address:** 24.138.135.84

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Holding tank

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	Holding tank is pumped every two months

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	We have holding tanks


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#129



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 24, 2015 11:31:30 AM  
**Last Modified:** Sunday, May 24, 2015 11:33:58 AM  
**Time Spent:** 00:02:27  
**IP Address:** 64.231.193.187

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Mcfarlane lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#130



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 26, 2015 8:15:06 AM  
**Last Modified:** Tuesday, May 26, 2015 8:17:38 AM  
**Time Spent:** 00:02:32  
**IP Address:** 24.231.86.86

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#131



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, May 26, 2015 1:27:25 PM  
**Last Modified:** Tuesday, May 26, 2015 1:29:11 PM  
**Time Spent:** 00:01:45  
**IP Address:** 24.231.86.86

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lk.

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#132



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, May 29, 2015 3:27:53 PM  
**Last Modified:** Friday, May 29, 2015 3:31:06 PM  
**Time Spent:** 00:03:12  
**IP Address:** 66.185.217.206

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Red Deer Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Rebecca Danard  
rebecca.danard@rethinkgreen.ca

#133



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 30, 2015 3:44:51 PM  
**Last Modified:** Saturday, May 30, 2015 3:45:31 PM  
**Time Spent:** 00:00:40  
**IP Address:** 208.96.127.210

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#134



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 30, 2015 4:03:00 PM  
**Last Modified:** Saturday, May 30, 2015 4:03:28 PM  
**Time Spent:** 00:00:27  
**IP Address:** 69.60.241.82

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#135



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 30, 2015 5:36:04 PM  
**Last Modified:** Saturday, May 30, 2015 5:37:00 PM  
**Time Spent:** 00:00:55  
**IP Address:** 70.49.139.224

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#136



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, May 30, 2015 7:01:15 PM  
**Last Modified:** Saturday, May 30, 2015 7:02:53 PM  
**Time Spent:** 00:01:38  
**IP Address:** 47.54.41.226

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#137



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 31, 2015 7:11:41 AM  
**Last Modified:** Sunday, May 31, 2015 7:15:25 AM  
**Time Spent:** 00:03:43  
**IP Address:** 67.201.175.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Fairbank Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Septic system is new, only 3 years old.</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Our lake association is aware.

#138



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 31, 2015 8:49:26 AM  
**Last Modified:** Sunday, May 31, 2015 8:49:46 AM  
**Time Spent:** 00:00:20  
**IP Address:** 47.54.62.13

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#139



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 31, 2015 11:51:20 AM  
**Last Modified:** Sunday, May 31, 2015 11:55:11 AM  
**Time Spent:** 00:03:51  
**IP Address:** 104.160.204.37

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 grassy lake/vermillion river- whitefish

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Marte J. Holouka  
marte@xplornet.com

#140



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 31, 2015 1:40:20 PM  
**Last Modified:** Sunday, May 31, 2015 1:43:09 PM  
**Time Spent:** 00:02:48  
**IP Address:** 67.204.232.211

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 macfalene lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	5-6
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Bob Walinga  
bwalinga@personainternet.com

#141



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, May 31, 2015 9:46:47 PM  
**Last Modified:** Sunday, May 31, 2015 9:50:34 PM  
**Time Spent:** 00:03:46  
**IP Address:** 67.204.219.23

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
McFarland Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

mlaidlaw@isys.ca

#142



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Monday, June 01, 2015 9:35:14 AM

**Last Modified:** Monday, June 01, 2015 10:02:36 AM

**Time Spent:** 00:27:21

**IP Address:** 198.163.239.190

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** Respondent skipped this question

PAGE 6

**Q5: What is the name of the water body?** Respondent skipped this question

PAGE 7

**Q6: What type of residence is this?** Respondent skipped this question



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#143



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 10:11:54 AM  
**Last Modified:** Monday, June 01, 2015 10:14:55 AM  
**Time Spent:** 00:03:01  
**IP Address:** 216.104.97.130

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Vermilion River

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

pesa2pikku@hotmail.ca

#144



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 10:26:09 AM  
**Last Modified:** Monday, June 01, 2015 10:30:55 AM  
**Time Spent:** 00:04:45  
**IP Address:** 38.112.87.6

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#145



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 10:34:38 AM  
**Last Modified:** Monday, June 01, 2015 10:37:55 AM  
**Time Spent:** 00:03:17  
**IP Address:** 209.91.148.160

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Holding tank

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Mcfarlane lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	Pump out holdomg tank as needed.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Holding tank sufficient for current use

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#146



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 10:50:08 AM  
**Last Modified:** Monday, June 01, 2015 10:54:52 AM  
**Time Spent:** 00:04:43  
**IP Address:** 74.14.142.229

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
McFarland Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Municipal
--	-----------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#147



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 10:54:37 AM  
**Last Modified:** Monday, June 01, 2015 11:00:48 AM  
**Time Spent:** 00:06:10  
**IP Address:** 198.254.214.100

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Raft Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Robert Beaudette  
northwindoors@gmail.com

#148



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 12:49:19 PM  
**Last Modified:** Monday, June 01, 2015 12:49:41 PM  
**Time Spent:** 00:00:21  
**IP Address:** 99.240.188.199

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#149



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 12:53:34 PM  
**Last Modified:** Monday, June 01, 2015 12:56:08 PM  
**Time Spent:** 00:02:33  
**IP Address:** 24.139.28.228

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**

mcfarlane

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

lentomini@gmail.com

#150



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 1:25:31 PM  
**Last Modified:** Monday, June 01, 2015 1:27:10 PM  
**Time Spent:** 00:01:39  
**IP Address:** 76.67.22.213

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#151



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 2:12:16 PM  
**Last Modified:** Monday, June 01, 2015 2:14:38 PM  
**Time Spent:** 00:02:21  
**IP Address:** 72.38.180.190

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**

Richard lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

sizzler@sympatico.ca  
Jackie cieslewicz

#152



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 6:18:38 PM  
**Last Modified:** Monday, June 01, 2015 6:21:51 PM  
**Time Spent:** 00:03:12  
**IP Address:** 74.14.143.178

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Mcfarlane lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>5-6</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#153



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 01, 2015 10:42:49 PM  
**Last Modified:** Monday, June 01, 2015 10:45:54 PM  
**Time Spent:** 00:03:04  
**IP Address:** 63.135.7.231

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

Q7: How many people normally live at this residence?	3-4
--	-----

PAGE 9

Q8: What is the source of your drinking water for this residence?	Well
---	------

PAGE 10

Q9: When was the last time you had a septic tank pump out?	1-2 years ago
--	---------------

PAGE 11

Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?	Yes
Q11: If not, why?	We pump out every two years already.

PAGE 12


Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury & District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.	Yes
Q13: If not, why?	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#154



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 02, 2015 7:09:41 AM  
**Last Modified:** Tuesday, June 02, 2015 7:16:56 AM  
**Time Spent:** 00:07:14  
**IP Address:** 208.96.118.37

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Peat moss septic system

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Ramsey Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	over 10 years ago
---	-------------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	Does not require it

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	A peat moss system would cost \$ 100,000!

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#155



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 02, 2015 10:35:50 AM  
**Last Modified:** Tuesday, June 02, 2015 10:37:56 AM  
**Time Spent:** 00:02:06  
**IP Address:** 24.139.22.116

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 McFarlane

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

Q7: How many people normally live at this residence?	3-4
--	-----

PAGE 9

Q8: What is the source of your drinking water for this residence?	Well
---	------

PAGE 10

Q9: When was the last time you had a septic tank pump out?	1-2 years ago
--	---------------

PAGE 11

Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?	No
Q11: If not, why?	We pump yearly

PAGE 12

Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury & District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.	Yes
Q13: If not, why?	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#156



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 02, 2015 3:45:10 PM  
**Last Modified:** Tuesday, June 02, 2015 3:45:22 PM  
**Time Spent:** 00:00:11  
**IP Address:** 24.138.140.14

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#157



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 02, 2015 8:31:53 PM  
**Last Modified:** Tuesday, June 02, 2015 8:32:28 PM  
**Time Spent:** 00:00:35  
**IP Address:** 69.159.0.140

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Respondent skipped this question

PAGE 5

**Q4: How close is your septic system to a water body?** Respondent skipped this question

PAGE 6

**Q5: What is the name of the water body?** Respondent skipped this question

PAGE 7

**Q6: What type of residence is this?** Respondent skipped this question

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#158



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 02, 2015 9:25:55 PM  
**Last Modified:** Tuesday, June 02, 2015 9:30:40 PM  
**Time Spent:** 00:04:44  
**IP Address:** 167.88.135.130

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
Tiadaly Creek

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>We pump every two years and don't see the need for more often. We would welcome a subsidy, however,</p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Margaret LaFramboise  
maggiwayne@yahoo.ca

#159



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, June 03, 2015 8:47:20 AM  
**Last Modified:** Wednesday, June 03, 2015 8:50:38 AM  
**Time Spent:** 00:03:17  
**IP Address:** 67.204.214.31

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Ramsey Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Elaine Porter  
egporter@hotmail.com 675-6788

#160



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 03, 2015 12:03:18 PM

**Last Modified:** Wednesday, June 03, 2015 12:09:38 PM

**Time Spent:** 00:06:20

**IP Address:** 67.204.214.77

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Ramsey Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>We don't seem to have a problem.</p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

ruthgolightly@hotmail.com



#161



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 04, 2015 5:38:23 PM  
**Last Modified:** Thursday, June 04, 2015 5:43:07 PM  
**Time Spent:** 00:04:44  
**IP Address:** 208.96.77.38

PAGE 2

<b>Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?</b>	Yes
---	-----

PAGE 3

<b>Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?</b>	Private sewage system
---	-----------------------

PAGE 4

<b>Q3: What type of sewage treatment system does this residence have?</b>	Septic tank and field bed
---	---------------------------

PAGE 5

<b>Q4: How close is your septic system to a water body?</b>	Within 100 meters (328 ft)
---	----------------------------

PAGE 6

<b>Q5: What is the name of the water body?</b>	McFarlane Lake
--	----------------

PAGE 7

<b>Q6: What type of residence is this?</b>	Primary
--	---------

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	We do it on a 3 year cycle

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	Our system is in good shape

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

dschoene@cyberbeach.net

#162



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, June 06, 2015 9:37:33 PM  
**Last Modified:** Saturday, June 06, 2015 9:38:43 PM  
**Time Spent:** 00:01:10  
**IP Address:** 184.151.63.138

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#163



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Saturday, June 06, 2015 10:34:58 PM  
**Last Modified:** Saturday, June 06, 2015 10:38:04 PM  
**Time Spent:** 00:03:05  
**IP Address:** 24.138.128.169

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#164



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 17, 2015 1:46:42 PM

**Last Modified:** Wednesday, June 17, 2015 1:47:16 PM

**Time Spent:** 00:00:33

**IP Address:** 67.204.215.27

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#165



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, June 17, 2015 2:06:44 PM  
**Last Modified:** Wednesday, June 17, 2015 2:10:06 PM  
**Time Spent:** 00:03:22  
**IP Address:** 69.159.4.217

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Mc Charles

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

fgelinas-co@ndp.on.ca

#166



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, June 17, 2015 2:14:10 PM  
**Last Modified:** Wednesday, June 17, 2015 2:19:53 PM  
**Time Spent:** 00:05:43  
**IP Address:** 198.254.205.157

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
Little Penache

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Bottled</p>
---	----------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

[harringtonwendyandruss@sympatico.ca](mailto:harringtonwendyandruss@sympatico.ca)

#167



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, June 17, 2015 4:44:58 PM  
**Last Modified:** Wednesday, June 17, 2015 4:45:11 PM  
**Time Spent:** 00:00:13  
**IP Address:** 24.139.22.83

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	<i>Respondent skipped this question</i>
--	---

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#168



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Wednesday, June 17, 2015 7:20:32 PM  
**Last Modified:** Wednesday, June 17, 2015 7:21:53 PM  
**Time Spent:** 00:01:20  
**IP Address:** 162.252.115.252

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>6-9 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#169



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 17, 2015 8:06:58 PM

**Last Modified:** Wednesday, June 17, 2015 8:11:00 PM

**Time Spent:** 00:04:01

**IP Address:** 24.114.68.69

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**

Vermilion River

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Municipal
--	-----------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	I see it as my responsibility as a property owner to ensure it is pumped out regularly regardless of any decrease in cost. It would be nice to have the discount but it wouldn't prompt me to change my schedule.

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#170



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 17, 2015 8:45:29 PM

**Last Modified:** Wednesday, June 17, 2015 8:46:05 PM

**Time Spent:** 00:00:35

**IP Address:** 64.231.193.163

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?**

No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?**

*Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?**

*Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?**

*Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?**

*Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?**

*Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#171



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 17, 2015 9:14:01 PM

**Last Modified:** Wednesday, June 17, 2015 9:15:27 PM

**Time Spent:** 00:01:25

**IP Address:** 67.204.219.158

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#172



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 17, 2015 9:56:55 PM

**Last Modified:** Wednesday, June 17, 2015 9:57:31 PM

**Time Spent:** 00:00:36

**IP Address:** 67.204.252.150

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?**

Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?**

Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?**

*Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?**

*Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?**

*Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?**

*Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#173



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 18, 2015 7:39:52 AM  
**Last Modified:** Thursday, June 18, 2015 7:43:54 AM  
**Time Spent:** 00:04:01  
**IP Address:** 108.162.129.240

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
wabagishik

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Well
--	------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#174



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 18, 2015 10:28:34 AM  
**Last Modified:** Thursday, June 18, 2015 10:29:17 AM  
**Time Spent:** 00:00:42  
**IP Address:** 67.204.200.106

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*



PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#175



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Thursday, June 18, 2015 12:23:30 PM

**Last Modified:** Thursday, June 18, 2015 12:23:53 PM

**Time Spent:** 00:00:23

**IP Address:** 208.101.116.13

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?**

No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?**

*Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?**

*Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?**

*Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?**

*Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?**

*Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#176



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 18, 2015 12:29:37 PM  
**Last Modified:** Thursday, June 18, 2015 12:32:42 PM  
**Time Spent:** 00:03:04  
**IP Address:** 24.114.77.204

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Holding tank

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Vermillion River

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#177



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 18, 2015 3:21:45 PM  
**Last Modified:** Thursday, June 18, 2015 3:25:01 PM  
**Time Spent:** 00:03:16  
**IP Address:** 24.138.135.48

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank with no road access

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lke

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Well</p>
---	-------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>we pump out every other year</p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#178



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 18, 2015 5:50:44 PM  
**Last Modified:** Thursday, June 18, 2015 5:51:38 PM  
**Time Spent:** 00:00:53  
**IP Address:** 69.159.0.140

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Municipal sewage treatment

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#179



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Friday, June 19, 2015 11:00:27 AM  
**Last Modified:** Friday, June 19, 2015 11:01:31 AM  
**Time Spent:** 00:01:03  
**IP Address:** 216.104.114.133

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** *Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** *Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?** *Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?** *Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?** *Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#180



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Thursday, June 18, 2015 4:57:58 PM  
**Last Modified:** Sunday, June 21, 2015 1:11:06 PM  
**Time Spent:** Over a day  
**IP Address:** 24.114.65.46

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Fairbank lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>there is no problem with existing system</p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Brian Burton ginbri83@hotmail.com

#181



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, June 21, 2015 8:59:19 PM  
**Last Modified:** Sunday, June 21, 2015 9:01:46 PM  
**Time Spent:** 00:02:26  
**IP Address:** 209.171.88.119

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#182



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, June 21, 2015 9:06:02 PM  
**Last Modified:** Sunday, June 21, 2015 9:09:13 PM  
**Time Spent:** 00:03:10  
**IP Address:** 24.138.138.226

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 long lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	We've been told it's optimal to pump out every 1-2 years, not more frequently?

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	No
<b>Q13: If not, why?</b>	We just got a new system 2 years ago.

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#183



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, June 21, 2015 9:26:54 PM  
**Last Modified:** Sunday, June 21, 2015 9:29:11 PM  
**Time Spent:** 00:02:17  
**IP Address:** 142.40.135.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

jasonhoule1972@gmail.com

#184



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, June 21, 2015 9:43:42 PM  
**Last Modified:** Sunday, June 21, 2015 9:50:23 PM  
**Time Spent:** 00:06:40  
**IP Address:** 63.135.0.46

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

A creek, long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>3-5 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*



#185

**INCOMPLETE****Collector:** Web Link 1 (Web Link)**Started:** Sunday, June 21, 2015 11:00:45 PM**Last Modified:** Sunday, June 21, 2015 11:02:59 PM**Time Spent:** 00:02:14**IP Address:** 162.252.113.89

## PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

## PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

## PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

## PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

## PAGE 6

**Q5: What is the name of the water body?**

Long Lake

## PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Bottled
--	---------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#186



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Sunday, June 21, 2015 11:25:07 PM  
**Last Modified:** Sunday, June 21, 2015 11:27:23 PM  
**Time Spent:** 00:02:15  
**IP Address:** 209.171.88.223

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**

Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#187



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 6:43:12 AM  
**Last Modified:** Monday, June 22, 2015 6:47:55 AM  
**Time Spent:** 00:04:43  
**IP Address:** 24.138.132.45

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>No</p>
<p><b>Q13: If not, why?</b></p>	<p>Ours is good</p>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#188

**INCOMPLETE****Collector:** Web Link 1 (Web Link)**Started:** Monday, June 22, 2015 7:26:20 AM**Last Modified:** Monday, June 22, 2015 7:27:46 AM**Time Spent:** 00:01:25**IP Address:** 162.252.113.89

## PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

## PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

## PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

## PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

## PAGE 6

**Q5: What is the name of the water body?**

Long Lake

## PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#189



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 8:00:00 AM  
**Last Modified:** Monday, June 22, 2015 8:04:01 AM  
**Time Spent:** 00:04:00  
**IP Address:** 74.14.143.235

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Clearwater lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Louise Picard  
Carrierepicard@gmail.com

#190



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 8:29:59 AM  
**Last Modified:** Monday, June 22, 2015 8:58:29 AM  
**Time Spent:** 00:28:29  
**IP Address:** 63.135.1.155

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

alcrew13@gmail.com  
line.villeneuve@eastlink.ca

#191



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 9:12:39 AM  
**Last Modified:** Monday, June 22, 2015 9:27:41 AM  
**Time Spent:** 00:15:02  
**IP Address:** 142.40.135.244

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Helen.francis@vale.com

#192



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 10:04:54 AM  
**Last Modified:** Monday, June 22, 2015 10:09:51 AM  
**Time Spent:** 00:04:56  
**IP Address:** 209.91.163.99

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Clearwater Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Pierre & Michelle Levesque  
Plevesq@vianet.ca  
Mlevesq@vianet.ca



#193



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 11:53:18 AM  
**Last Modified:** Monday, June 22, 2015 11:57:41 AM  
**Time Spent:** 00:04:22  
**IP Address:** 74.14.140.87

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long Lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>1-2</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>No</p>
<p><b>Q11: If not, why?</b></p>	<p>I think every two years is ample for our system.</p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Ross Quantz  
rossq@purepet.biz

#194



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 12:28:21 PM  
**Last Modified:** Monday, June 22, 2015 12:29:26 PM  
**Time Spent:** 00:01:04  
**IP Address:** 216.223.90.33

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** More than 200m

PAGE 6

**Q5: What is the name of the water body?**  
long lake

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#195



**INCOMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 4:21:21 PM  
**Last Modified:** Monday, June 22, 2015 4:24:08 PM  
**Time Spent:** 00:02:47  
**IP Address:** 63.135.0.46

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
Creek and Long Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	1-2
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	3-5 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	Yes
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>


PAGE 13



**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#196



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Monday, June 22, 2015 10:55:49 PM  
**Last Modified:** Monday, June 22, 2015 11:00:10 PM  
**Time Spent:** 00:04:20  
**IP Address:** 66.206.238.66

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** Within 100 meters (328 ft)

PAGE 6

**Q5: What is the name of the water body?**  
 Long lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p>3-4</p>
--	------------

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p>Lake or River</p>
---	----------------------

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p>1-2 years ago</p>
--	----------------------

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p>Yes</p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p>Yes</p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

Jgroom@isys.ca.

#197



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 23, 2015 9:40:07 AM  
**Last Modified:** Tuesday, June 23, 2015 9:45:50 AM  
**Time Spent:** 00:05:42  
**IP Address:** 63.135.6.127

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Septic tank and field bed

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**  
Raft Lake

PAGE 7

**Q6: What type of residence is this?** Primary

PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	1-2 years ago
---	---------------

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	No
<b>Q11: If not, why?</b>	I feel it is important to do it every 1 to 2 years and am willing to pay for this whether or not there is a grant. It is that important to me. However, it would certainly help to have a grant!


PAGE 12

<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	Yes
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#198



**COMPLETE**

**Collector:** Web Link 1 (Web Link)  
**Started:** Tuesday, June 23, 2015 10:40:20 PM  
**Last Modified:** Tuesday, June 23, 2015 10:48:49 PM  
**Time Spent:** 00:08:28  
**IP Address:** 63.135.9.83

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?** Yes

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?** Private sewage system

PAGE 4

**Q3: What type of sewage treatment system does this residence have?** Privy or outhouse

PAGE 5

**Q4: How close is your septic system to a water body?** 100m - 200m

PAGE 6

**Q5: What is the name of the water body?**

fairbanks

PAGE 7

**Q6: What type of residence is this?** Seasonal - Cottage or Camp



PAGE 8

<b>Q7: How many people normally live at this residence?</b>	3-4
---	-----

PAGE 9

<b>Q8: What is the source of your drinking water for this residence?</b>	Lake or River
--	---------------

PAGE 10

<b>Q9: When was the last time you had a septic tank pump out?</b>	<i>Respondent skipped this question</i>
---	---

PAGE 11

<b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b>	<i>Respondent skipped this question</i>
<b>Q11: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 12


<b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b>	<i>Respondent skipped this question</i>
<b>Q13: If not, why?</b>	<i>Respondent skipped this question</i>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#199



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Wednesday, June 24, 2015 11:35:28 AM

**Last Modified:** Wednesday, June 24, 2015 11:36:16 AM

**Time Spent:** 00:00:47

**IP Address:** 24.150.214.169

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?**

No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?**

*Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?**

*Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?**

*Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?**

*Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?**

*Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12


<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*

#200



**COMPLETE**

**Collector:** Web Link 1 (Web Link)

**Started:** Friday, June 26, 2015 10:22:35 AM

**Last Modified:** Friday, June 26, 2015 10:23:17 AM

**Time Spent:** 00:00:41

**IP Address:** 208.96.127.52

PAGE 2

**Q1: Do you own a residence and pay taxes within the City of Greater Sudbury?**

No.

PAGE 3

**Q2: Is this residence serviced by a private sewage system or municipal sewage treatment?**

*Respondent skipped this question*

PAGE 4

**Q3: What type of sewage treatment system does this residence have?**

*Respondent skipped this question*

PAGE 5

**Q4: How close is your septic system to a water body?**

*Respondent skipped this question*

PAGE 6

**Q5: What is the name of the water body?**

*Respondent skipped this question*

PAGE 7

**Q6: What type of residence is this?**

*Respondent skipped this question*

PAGE 8

<p><b>Q7: How many people normally live at this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 9

<p><b>Q8: What is the source of your drinking water for this residence?</b></p>	<p><i>Respondent skipped this question</i></p>
---	--

PAGE 10

<p><b>Q9: When was the last time you had a septic tank pump out?</b></p>	<p><i>Respondent skipped this question</i></p>
--	--

PAGE 11

<p><b>Q10: If you were offered a 50% grant towards the cost of a septic tank pump-out, would you be encouraged to pump out on a more frequent basis?</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q11: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 12

<p><b>Q12: If you were offered a \$5,000 grant towards the *cost of a septic system replacement that has been certified by Sudbury &amp; District Health Unit to be ineffective, would you participate? *SDHU must make a site visit to certify the septic system is ineffective - leaking or seeping into the environment - often associated with a sewer smell. Cost of a septic system replacement can cost as much as \$15,000 to \$20,000 - for a conventional septic system with field bed and tank.</b></p>	<p><i>Respondent skipped this question</i></p>
<p><b>Q13: If not, why?</b></p>	<p><i>Respondent skipped this question</i></p>

PAGE 13

**Q14: If you are interested in this program, and/or would like to be informed of its progress, please provide your name and email address here (your contact information will not be used for any other purpose)**

*Respondent skipped this question*